

10

System 40

System 30




Fig. 1

```

1 <complexType name="CommandScript">
2   <element name="command" type="commandDS" minOccurs="1"
3     maxOccurs="unbounded"/>
4   <element name="script" type="CommandScript" minOccurs="0"
5     maxOccurs="unbounded"/>
6   <attribute name="executionOrder" >
7     <simpleType base="string">
8       <enumeration value="sequential"/>
9       <enumeration value="parallel"/>
10    </simpleType>
11  </attribute>
12  <attribute name="authority" type="authorityLevel" use="required"/>
13  <attribute name="writeXML" type="boolean" use="default" value="false"/>
14  <attribute name="resultXML" type="uriReference" use="optional"/>
15  <attribute name="writeXSD" type="boolean" use="default" value="false"/>
16  <attribute name="resultXSD" type="uriReference" use="optional"/>
17 </complexType>

```

FIG. 2

```

1 <complexType name="commandDS">
2   <element name="value" type="nodeValue" minOccurs="0" maxOccurs="1"/>
3   <element name="nextCommand" type="commandDS" minOccurs="0"
4     maxOccurs="unbounded"/>
5   <attribute name="sourceXML" type="uriReference" use="optional"/>
6   <attribute name="sourceXSD" type="uriReference" use="optional"/>
7   <attribute name="select" type="uriReference" use="required"/>
8   <attribute name="type" type="commandType" use="required"/>
9   <attribute name="insert" type="insertPosition" use="default" value="after"/>
10 </complexType>
11
12 <complexType name="SyncCommandDS" base="Command" derivedBy="extension">
13   <attribute name="start_time" type="time"/>
14   <attribute name="duration_time" type="time"/>

```




Fig. 4